

## Steel Products Subject to Export Licensing Management

S/N	HS Code	Products Name	Unit
1	7201100000	Non-alloy pig iron, with a phosphorus content of 0.5% and below by weight	Kg
2	7201200000	Non-alloy pig iron, with a phosphorus content of more than 0.5% by weight	Kg
3	7201500010	Alloy Pig Iron	Kg
4	7201500090	Malleable Iron	Kg
5	7203100000	Iron Products Directly Reduced from Iron Ore (Balls, Granules, and Similar Shapes)	Kg
6	7203900000	Other Spongy Iron Products or Iron with Purity of 99.94% and Above (Including Blocks, Balls, Pellets, and Similar Shapes)	Kg
7	7204100010	Recycled Steel Raw Materials Conforming to GB/T 39733-2020 Standard Requirements	Kg
8	7204100090	Other Cast Iron Scrap	Kg
9	7204210010	Importable Recycled Stainless Steel Raw Materials	Kg
10	7204210090	Other Stainless Steel Scrap	Kg
11	7204290010	Other Importable Recycled Alloy Steel Raw Materials	Kg
12	7204290090	Other Alloy Steel Scrap	Kg
13	7204300000	Tin-Plated Steel Scrap	Kg
14	7204410010	Recycled Steel Raw Materials Produced During Mechanical Processing Conforming to GB/T 39733-2020 Standard Requirements (Mechanical Processing Includes Turning, Planing, Milling, Grinding, Sawing, Filing, Shearing, Punching)	Kg
15	7204410090	Other Steel Scrap Produced During Mechanical Processing (Mechanical Processing Includes Turning, Planing, Milling, Grinding, Sawing, Filing, Shearing, Punching)	Kg
16	7204490030	Unlisted Recycled Steel Raw Materials Conforming to GB/T 39733-2020 Standard Requirements	Kg
17	7204490040	Waste Automobile Pressings, Scrap Electrical and Electronic Equipment Mainly for Steel Recovery	Kg
18	7204490090	Other Unlisted Steel Scrap	Kg
19	7204500000	Scrap Steel Ingots for Remelting	Kg
20	7205100000	Pig Iron, Malleable Iron, and Iron Granules	Kg
21	7205210000	Alloy Steel Powder	Kg
22	7205291000	Iron Powder with an Average Particle Size Less Than 10 Microns	Kg
23	7205299000	Other Pig Iron, Malleable Iron, and Other Steel Powders	Kg
24	7206100000	Iron and Non-Alloy Steel Ingots	Kg
25	7206900000	Other Primary Shapes of Iron and Non-Alloy Steel	Kg
26	7207110000	Rectangular Section Steel Billets with Width Less Than Twice the Thickness (Carbon Content Less Than 0.25%)	Kg
27	7207120010	Other Rectangular Section Continuous Casting Slabs with Thickness Greater Than 400MM (Carbon Content Less Than 0.25%, Excluding Square Sections)	Kg
28	7207120090	Other Rectangular Section Steel Billets (Carbon Content Less Than 0.25%, Excluding Square Sections)	Kg
29	7207190010	Other Continuous Casting Slabs with Thickness Greater Than 400MM and Carbon Content Less Than 0.25%	Kg
30	7207190090	Other Steel Billets with Carbon Content Less Than 0.25%	Kg
31	7207200010	Continuous Casting Round Billets for Wheels (Diameter 380MM and 450MM, Tolerance $\pm 1.2\%$ , Carbon Content: 0.38%-0.85%, Manganese Content: 0.68%-1.2%, Phosphorus Content $\leq 0.012\%$ , Total Oxide Content $\leq 0.0012\%$ )	Kg
32	7207200090	Other Steel Billets with Carbon Content Not Less Than 0.25%	Kg
33	7208100000	Hot-Rolled Coiled Material with Pattern (Not Further Processed After Hot Rolling)	Kg
34	7208250000	Other Hot-Rolled Coiled Material with Thickness $\geq 4.75\text{mm}$ (Not Further Processed After Hot Rolling, Width $\geq 600\text{mm}$ , Uncoated, Unplated, Uncolored)	Kg
35	7208261000	Other high-strength hot-rolled coil products with thickness $\geq 4.75\text{mm}$ and $< 3\text{mm}$ (pickled, width $\geq 600\text{mm}$ , yield strength $> 355\text{MPa}$ )	Kg
36	7208269000	Other hot-rolled coil products with thickness $\geq 4.75\text{mm}$ and $< 3\text{mm}$ (pickled, width $\geq 600\text{mm}$ , yield strength $\leq 355\text{MPa}$ )	Kg
37	7208271000	Other hot-rolled coil products with thickness $< 1.5\text{mm}$ (pickled, width $\geq 600\text{mm}$ , not coated, plated, or laminated)	Kg
38	7208279000	Other hot-rolled coil products with thickness $1.5\text{mm} \leq$ and $< 3\text{mm}$ (pickled, width $\geq 600\text{mm}$ , not coated, plated, or laminated)	Kg
39	7208360000	Other hot-rolled coil products with thickness $> 10\text{mm}$ (not further processed after hot-rolling, width $\geq 600\text{mm}$ , not coated, plated, or laminated)	Kg
40	7208370000	Other hot-rolled coil products with thickness $10\text{mm} \geq$ and $\geq 4.75\text{mm}$ (not further processed after hot-rolling, width $\geq 600\text{mm}$ , not coated, plated, or laminated)	Kg
41	7208381000	High-strength coil products with thickness $\geq 4.75\text{mm}$ and $< 3\text{mm}$ (width $\geq 600\text{mm}$ , yield strength $> 355\text{MPa}$ )	Kg
42	7208389000	Other coil products with thickness $\geq 4.75\text{mm}$ and $< 3\text{mm}$ (width $\geq 600\text{mm}$ , yield strength $\leq 355\text{MPa}$ )	Kg
43	7208391000	Other hot-rolled coil products with thickness $< 1.5\text{mm}$ (not further processed after hot-rolling, width $\geq 600\text{mm}$ , not coated, plated, or laminated)	Kg

44	7208399000	Other hot-rolled coil products with thickness 1.5mm≤ and <3mm (not further processed after hot-rolling, width ≥600mm, not coated, plated, or laminated)	Kg
45	7208400000	Hot-rolled non-coil products with pattern (not further processed after hot-rolling, width ≥600mm, not coated, plated, or laminated)	Kg
46	7208511000	Other hot-rolled non-coil products with thickness >50mm (width ≥600mm, not coated, plated, or laminated)	Kg
47	7208512100	Other hot-rolled non-coil products with thickness 20mm< and ≤50mm (width ≥600mm, not coated, plated, or laminated, yield strength ≥500MPa)	Kg
48	7208512900	Other hot-rolled non-coil products with thickness 20mm< and ≤50mm (width ≥600mm, not coated, plated, or laminated, yield strength <500MPa)	Kg
49	7208519100	Other hot-rolled non-coil products with thickness 10mm< and ≤20mm (width ≥600mm, not coated, plated, or laminated, yield strength ≥500MPa)	Kg
50	7208519900	Other hot-rolled non-coil products with thickness 10mm< and ≤20mm (width ≥600mm, not coated, plated, or laminated, yield strength <500MPa)	Kg
51	7208520000	Hot-rolled non-coil products with thickness 10mm≥ and ≥4.75mm (not further processed after hot-rolling, width ≥600mm, not coated, plated, or laminated)	Kg
52	7208531000	High-strength hot-rolled non-coil products with thickness ≥4.75mm and <3mm (width ≥600mm, yield strength >355MPa)	Kg
53	7208539000	Other hot-rolled flat products, non-coiled, thickness ≥ 4.75mm but < 3mm (width ≥ 600mm, yield strength ≤ 355 MPa)	Kg
54	7208541000	Hot-rolled flat products, non-coiled, thickness < 1.5mm (width ≥ 600mm, not further worked, not包ed, plated or coated)	Kg
55	7208549000	Hot-rolled flat products, non-coiled, thickness 1.5mm to < 3mm (width ≥ 600mm, not further worked, not包ed, plated or coated)	Kg
56	7208900000	Other hot-rolled flat products, further processed, width ≥ 600mm, not包ed, plated or coated	Kg
57	7209151000	Cold-rolled coil, high strength, thickness ≥ 3mm (width ≥ 600mm, yield strength > 355 MPa)	Kg
58	7209159000	Cold-rolled coil, thickness ≥ 3mm (width ≥ 600mm, yield strength ≤ 355 MPa)	Kg
59	7209161000	Cold-rolled coil, high strength, thickness 3mm to > 1mm (width ≥ 600mm, yield strength > 275 MPa)	Kg
60	7209169100	Cold-rolled coil, low strength, thickness 3mm to > 1mm (width ≥ 600mm, yield strength ≤ 275 MPa, elongation after fracture ≥ 40%)	Kg
61	7209169900	Cold-rolled coil, low strength, thickness 3mm to > 1mm, elongation after fracture < 40% (width ≥ 600mm, yield strength ≤ 275 MPa)	Kg
62	7209171000	Cold-rolled coil, high strength, thickness 1mm to ≥ 0.5mm (width ≥ 600mm, yield strength > 275 MPa)	Kg
63	7209179100	Cold-rolled coil, low strength, thickness 1mm to ≥ 0.5mm (width ≥ 600mm, yield strength ≤ 275 MPa, elongation after fracture ≥ 38%)	Kg
64	7209179900	Cold-rolled coil, low strength, thickness 1mm to ≥ 0.5mm, elongation after fracture < 38% (width ≥ 600mm, yield strength ≤ 275 MPa)	Kg
65	7209181000	Cold-rolled non-coil products, non-alloy steel, thickness < 0.3mm (not further processed, width ≥ 600mm, not包ed, plated or coated)	Kg
66	7209189000	Cold-rolled non-coil products, non-alloy steel, thickness 0.3mm to < 0.5mm (not further processed, width ≥ 600mm, not包ed, plated or coated)	Kg
67	7209250000	Cold-rolled flat products, non-coiled, thickness ≥ 3mm (not further processed, width ≥ 600mm, not包ed, plated or coated)	Kg
68	7209260000	Cold-rolled flat products, non-coiled, thickness 3mm to > 1mm (not further processed, width ≥ 600mm, not包ed, plated or coated)	Kg
69	7209270000	Cold-rolled flat products, non-coiled, thickness 1mm to ≥ 0.5mm (not further processed, width ≥ 600mm, not包ed, plated or coated)	Kg
70	7209280000	Cold-rolled non-coil products with a thickness of less than 0.5 mm (not further worked than cold-rolled, width ≥ 600 mm, not clad, plated, or coated)	Kg
71	7209900000	Other cold-rolled iron or non-alloy steel flat products (not further worked than cold-rolled, width ≥ 600mm, not coated, plated or varnished)	Kg
72	7210110000	Tin-plated or tin-coated non-alloy steel flat products (thickness ≥ 0.5mm, width ≥ 600mm)	Kg
73	7210120000	Tin-plated or tin-coated non-alloy steel flat products (thickness < 0.5mm, width ≥ 600mm)	Kg
74	7210200000	Lead or lead-tin plated iron or non-alloy steel flat products (including lead-tin plated steel sheets, width ≥ 600mm)	Kg
75	7210300000	Electrogalvanized iron or non-alloy steel flat products (width ≥ 600mm)	Kg
76	7210410000	Galvanized corrugated iron or non-alloy steel flat products (excluding electrogalvanized, width ≥ 600mm)	Kg
77	7210491000	Galvanized other forms of iron or non-alloy steel flat products with a tensile strength not less than 440 Newtons per square millimeter (excluding electrogalvanized, width ≥ 600mm)	Kg

78	7210499000	Galvanized other forms of iron or non-alloy steel flat products with a tensile strength less than 440 Newtons per square millimeter (excluding electrogalvanized, width $\geq$ 600mm)	Kg
79	7210500000	Iron or non-alloy steel flat products coated or plated with chromium oxide (width $\geq$ 600mm)	Kg
80	7210610000	Iron flat-rolled products coated or plated with aluminum-zinc alloy (including non-alloy steel, width $\geq$ 600mm)	Kg
81	7210690000	Other iron flat-rolled products coated or plated with aluminum (including non-alloy steel, width $\geq$ 600mm)	Kg
82	7210701000	Iron or non-alloy steel flat-rolled products with a width of 600mm or more, coated with paint or plastic, thickness < 1.5mm	Kg
83	7210709000	Other iron or non-alloy steel flat-rolled products with a width of 600mm or more, coated with paint or plastic	Kg
84	7210900000	Iron or non-alloy steel flat-rolled products with a width of 600mm or more, coated or plated with other materials	Kg
85	7211130000	Hot-rolled non-coil products, four-sided rolled, not coated, plated or varnished (150mm < width < 600mm, thickness $\geq$ 4mm)	Kg
86	7211140000	Other hot-rolled steel sheets with a thickness of $\geq$ 4.75mm (width < 600mm, not coated, plated or varnished)	Kg
87	7211190000	Other hot-rolled iron or non-alloy steel narrow strip (width < 600mm, not coated, plated or varnished)	Kg
88	7211230000	Cold-rolled steel sheets with a carbon content of less than 0.25% (width < 600mm, not coated, plated or varnished)	Kg
89	7211290000	Other cold-rolled iron or non-alloy steel narrow strip (width < 600mm, not coated, plated or varnished, carbon content $\geq$ 0.25%)	Kg
90	7211900000	Other cold-rolled iron or non-alloy steel narrow strip (width < 600mm, not coated, plated or varnished)	Kg
91	7212100000	Tin-plated or tin-coated iron or non-alloy steel narrow strip (width < 600mm)	Kg
92	7212200000	Electrogalvanized iron or non-alloy steel narrow strip (width < 600mm)	Kg
93	7212300000	Other zinc-plated or zinc-coated iron narrow strip (including non-alloy steel, width < 600mm)	Kg
94	7212400000	Painted or plastic-coated iron or non-alloy steel narrow strip (width < 600mm)	Kg
95	7212500000	Iron or non-alloy steel narrow strip coated with other materials (width < 600mm)	Kg
96	7212600000	Iron or non-alloy steel narrow strip with a coating (width < 600mm)	Kg
97	7213100000	Iron or non-alloy steel hot-rolled wire rod (with deformation caused by the rolling process)	Kg
98	7213200000	Other free-cutting steel hot-rolled wire rod (without deformation caused by the rolling process)	Kg
99	7213910000	Other hot-rolled wire rod with round cross-section diameter < 14mm (without deformation caused by the rolling process)	Kg
100	7213990000	Other hot-rolled wire rod (without deformation caused by the rolling process)	Kg
101	7214100000	Iron or non-alloy steel forged bars, rods (not further worked other than by hot working)	Kg
102	7214200000	Iron or non-alloy steel hot-worked bars, rods (with deformation caused by the rolling process, hot working refers to hot rolling, hot drawing or hot extrusion)	Kg
103	7214300000	Other free-cutting steel hot-worked bars, rods (without deformation caused by the rolling process, hot working refers to hot rolling, hot drawing, hot extrusion)	Kg
104	7214910000	Other hot-worked bars, rods with rectangular cross-section (excluding squares)	Kg
105	7214990000	Other hot-worked bars, rods	Kg
106	7215100000	Other free-cutting steel cold-worked bars, rods (including cold forming)	Kg
107	7215500000	Other cold-worked or cold-formed bars, rods	Kg
108	7215900000	Other bars, rods of iron and non-alloy steel	Kg
109	7216101000	H-section steel with height < 80mm (not further worked other than by hot working)	Kg
110	7216102000	I-section steel with height < 80mm (not further worked other than by hot working)	Kg
111	7216109000	Channel steel with height < 80mm (not further worked other than by hot working)	Kg
112	7216210000	Angle steel with height < 80mm (not further worked other than by hot working)	Kg
113	7216220000	T-section steel with height < 80mm (not further worked other than by hot working)	Kg
114	7216310000	Channel steel with height $\geq$ 80mm (not further worked other than by hot working)	Kg
115	7216321000	I-section steel with height > 200mm (not further worked other than by hot working)	Kg
116	7216329000	I-section steel with height 80mm $\leq$ x $\leq$ 200mm (not further worked other than by hot working)	Kg
117	7216331100	H-section steel with height > 800mm (not further worked other than by hot working)	Kg
118	7216331900	H-section steel with height 200mm < x $\leq$ 800mm (not further worked other than by hot working)	Kg
119	7216339000	H-section steel with height 80mm $\leq$ x $\leq$ 200mm (not further worked other than by hot working)	Kg
120	7216401000	Angle steel with height $\geq$ 80mm (not further worked other than by hot working)	Kg

121	7216402000	T-section steel with height $\geq 80$ mm (not further worked other than by hot working)	Kg
122	7216501000	Angle steel (not further worked than hot-rolled)	Kg
123	7216502000	Ball flat steel (not further worked than hot-rolled)	Kg
124	7216509000	Other angles, shapes and sections (not further worked than hot-rolled)	Kg
125	7216610000	Angles, shapes and sections made of flat-rolled products (not further worked than cold-rolled)	Kg
126	7216690000	Angles, shapes and sections cold-formed (not further worked than cold-formed)	Kg
127	7216910000	Other angles, shapes and sections made of flat-rolled products (cold-formed or cold-rolled)	Kg
128	7216990000	Other angles, shapes and sections (further worked than cold-rolling or hot-rolling)	Kg
129	7217100000	Iron or non-alloy steel wire, not further worked than drawn or polished, whether or not coated	Kg
130	7217200000	Iron or non-alloy steel wire, galvanized or zinc-coated	Kg
131	7217301000	Iron or non-alloy steel wire, copper-coated	Kg
132	7217309000	Iron or non-alloy steel wire, coated with other base metals	Kg
133	7217900000	Other iron wire or non-alloy steel wire	Kg
134	7218100000	Stainless steel ingots and other primary forms	Kg
135	7218910000	Stainless steel semi-finished products of rectangular section (excluding square section)	Kg
136	7218990010	Stainless steel semi-finished products of square section	Kg
137	7218990090	Other stainless steel semi-finished products	Kg
138	7219110000	Hot-rolled stainless steel coil, thickness over 10mm (not further worked than hot-rolling, width $\geq 600$ mm)	Kg
139	7219121000	Hot-rolled stainless steel coil, $4.75\text{mm} \leq \text{thickness} \leq 10\text{mm}$ and $600\text{mm} \leq \text{width} \leq 1800\text{mm}$ (not further worked than hot-rolling, width $\geq 600$ mm)	Kg
140	7219129000	Other hot-rolled stainless steel coil, $4.75\text{mm} \leq \text{thickness} \leq 10\text{mm}$ (not further worked than hot-rolling, width $\geq 600$ mm)	Kg
141	7219131200	Hot-rolled stainless steel coil, $3\text{mm} \leq \text{thickness} < 4.75\text{mm}$ (not pickled, not further worked than hot-rolling, width $\geq 600$ mm, including $\geq 5.5\%$ manganese chromium-manganese stainless steel)	Kg
142	7219131900	Hot-rolled stainless steel coil, $3\text{mm} \leq \text{thickness} < 4.75\text{mm}$ (not pickled, not further worked than hot-rolling, width $\geq 600$ mm)	Kg
143	7219132200	Hot-rolled stainless steel coil, $3\text{mm} \leq \text{thickness} < 4.75\text{mm}$ (pickled, not further worked than hot-rolling, width $\geq 600$ mm, including $\geq 5.5\%$ manganese chromium-manganese stainless steel)	Kg
144	7219132900	Hot-rolled stainless steel coil, $3\text{mm} \leq \text{thickness} < 4.75\text{mm}$ (pickled, not further worked than hot-rolling, width $\geq 600$ mm)	Kg
145	7219141200	Hot-rolled stainless steel coil, thickness $< 3\text{mm}$ (not pickled, not further worked than hot-rolling, width $\geq 600$ mm, including $\geq 5.5\%$ manganese chromium-manganese stainless steel)	Kg
146	7219141900	Thickness $< 3\text{mm}$ Other hot-rolled stainless steel coils that have not been pickled (not further processed except hot-rolled, width $\geq 600$ mm)	Kg
147	7219142200	Thickness $< 3\text{mm}$ pickled hot-rolled stainless steel coil (no further processing except hot rolling, width $\geq 600$ mm, including manganese $\geq 5.5\%$ chromium-manganese stainless steel)	Kg
148	7219142900	Thickness $< 3\text{mm}$ Pickled Other Hot Rolled Stainless Steel Coils (Except Hot Rolled, Width $\geq 600$ mm)	Kg
149	7219210000	Thickness $> 10\text{mm}$ hot-rolled stainless steel flat plate (no further processing except hot rolling, width $\geq 600$ mm)	Kg
150	7219220000	$4.75\text{mm} \leq \text{thick} \leq 10\text{mm}$ hot-rolled stainless steel flat plate (not further processed except hot rolled, width $\geq 600$ mm)	Kg
151	7219230000	$3\text{mm} \leq \text{thick} < 4.75\text{mm}$ hot-rolled stainless steel flat plate (no further processing except hot rolling, width $\geq 600$ mm)	Kg
152	7219241000	$1\text{mm} < \text{thickness} < 3\text{mm}$ hot-rolled stainless steel flat plate (no further processing except hot rolling, width $\geq 600$ mm)	Kg
153	7219242000	$0.5\text{mm} \leq \text{thick} \leq 1\text{mm}$ hot-rolled stainless steel flat plate (no further processing except hot rolling, width $\geq 600$ mm)	Kg
154	7219243000	Thickness $< 0.5\text{mm}$ hot-rolled stainless steel flat plate (no further processing except hot rolling, width $\geq 600$ mm)	Kg
155	7219310000	Thickness $\geq 4.75\text{mm}$ cold-rolled stainless steel plate (no further processing except cold rolling, width $\geq 600$ mm)	Kg
156	7219321000	$3\text{mm} \leq \text{thickness} < 4.75\text{mm}$ and $600\text{mm} \leq \text{width} \leq 1800\text{mm}$ cold-rolled stainless steel plate (no further processing except cold rolling, width $\geq 600$ mm)	Kg
157	7219329000	Other $3\text{mm} \leq \text{thick} < 4.75\text{mm}$ cold-rolled stainless steel plate (no further processing except cold rolling, width $\geq 600$ mm)	Kg
158	7219331000	$1\text{mm} < \text{thickness} < 3\text{mm}$ , chromium-manganese-based stainless steel with a manganese content of 5.5% or more by weight (no further processing except cold rolling, width $\geq 600$ mm)	Kg

159	7219339000	Other 1mm<thick<3mm cold-rolled stainless steel plates (not further processed except cold-rolled, width ≥600mm)	Kg
160	7219340000	0.5mm≤thick≤1mm cold-rolled stainless steel plate (no further processing except cold rolling, width ≥600mm)	Kg
161	7219350000	Thickness<0.5mm cold-rolled stainless steel plate (no further processing except cold rolling, width ≥ 600mm)	Kg
162	7219900000	Other stainless steel cold-rolled sheets (hot-rolled or cold-rolled and further processed, non-coiled, width≥600mm)	Kg
163	7220110000	Thickness of hot-rolled stainless steel strip ≥ 4.75mm (no further processing except hot rolling, width < 600mm)	Kg
164	7220120000	Thickness of hot-rolled stainless steel strip < 4.75mm (no further processing except hot rolling, width < 600mm)	Kg
165	7220202000	Thickness≤ 0.35mm cold-rolled stainless steel strip (no further processing except cold rolling, width < 600mm)	Kg
166	7220203000	0.35mm< thickness<3mm cold-rolled stainless steel strip (no further processing except cold rolling, width < 600mm)	Kg
167	7220204000	Cold-rolled stainless steel strip with a thickness of ≥ 3mm (no further processing except cold rolling, width < 600mm)	Kg
168	7220900000	Other stainless steel strips (hot rolled or cold rolled and further processed, width < 600mm)	Kg
169	7221000000	Stainless steel hot-rolled strips and rods (irregularly coiled stainless steel hot-rolled strips and rods)	Kg
170	7222110000	Hot-worked stainless steel bars and rods of circular section (without further processing except for hot working)	Kg
171	7222190000	Hot-worked stainless steel bars and rods with other cross-sectional shapes (without further processing except for hot working)	Kg
172	7222200000	Stainless steel bars and rods that are cold-formed or cold-worked (stainless steel bars and rods that have not been further processed except for cold working)	Kg
173	7222300001	Stainless steel bars and rods with rectangular (excluding square) section by free forging	Kg
174	7222300090	Other stainless steel bars and rods	Kg
175	7222400000	Stainless steel angles, shapes and sections	Kg
176	7223000000	Stainless steel wire	Kg
177	7224100000	Other alloy steel ingots and other primary forms	Kg
178	7224901000	Rough cast and forged billets (single piece weight of 10 tons or more)	Kg
179	7224909010	Other alloy steel round billets, diameter ≥700mm (other alloy steel ingots and other primary forms)	Kg
180	7224909090	Other alloy steel billets, excluding alloy steel round billets with diameter ≥700mm (other alloy steel ingots and other primary forms)	Kg
181	7225110010	Grain-oriented electrical steel ≥600mm wide (by weight silicon content at least 0.6%, carbon content not exceeding 0.08%, may contain up to 1.0% aluminum, the proportion of other elements does not give it the characteristics of other alloy steels; thickness not exceeding 0.56mm; in coil form, it can be any width; in plate form, its width is at least ten times its thickness)	Kg
182	7225110090	Other grain-oriented silicon electrical steel ≥600mm wide	Kg
183	7225190000	Other silicon electrical steel wide plates (width ≥600mm)	Kg
184	7225301000	Width ≥ 600mm Hot rolled other alloy steel coils, thickness 2mm and below (no further processing except hot rolling)	Kg
185	7225309000	Width≥ 600mm Hot-rolled other alloy steel coils, thickness more than 2mm (no further processing except hot rolling)	Kg
186	7225401000	Width≥ 600mm hot-rolled tool steel (not further processed except hot-rolled)	Kg
187	7225409100	Width≥ 600mm hot-rolled boron-containing alloy steel (not further processed except hot rolled)	Kg
188	7225409900	Width≥ 600mm hot-rolled steel from other alloys (not further processed except hot rolled)	Kg
189	7225500000	Cold-rolled other alloy steel flat products (width ≥ 600mm, not further worked than cold-rolled)	Kg
190	7225910000	Other alloy steel flat products, electro-galvanized (width ≥ 600mm)	Kg
191	7225920000	Other alloy steel flat products, zinc coated or plated (width ≥ 600mm)	Kg
192	7225991000	Flat-rolled products of high-speed steel, width ≥ 600mm	Kg
193	7225999000	Flat-rolled products of other alloy steel, width ≥ 600mm	Kg
194	7226110010	Grain-oriented electrical steel (by weight at least 0.6% silicon, no more than 0.08% carbon, may contain up to 1.0% aluminum, other elements do not give it the characteristics of other alloy steel; thickness not exceeding 0.56mm; in coil form, may be any width; in sheet form, width at least ten times the thickness)	Kg
195	7226110090	Other grain-oriented silicon electrical steel, width < 600mm	Kg
196	7226190000	Other silicon electrical steel, narrow strip (width < 600mm)	Kg

197	7226200000	Flat-rolled products of high-speed steel, width < 600mm	Kg
198	7226911000	Flat-rolled products of tool steel, hot-rolled (not further worked than hot-rolled)	Kg
199	7226919100	Flat-rolled products of boron-alloyed steel, hot-rolled (not further worked than hot-rolled)	Kg
200	7226919900	Other (not further worked than hot-rolled)	Kg
201	7226920000	Flat-rolled products of other alloy steel, width < 600mm (not further worked than cold-rolled)	Kg
202	7226991000	Flat-rolled products of other alloy steel, zinc coated or plated (width < 600mm)	Kg
203	7226992000	Flat-rolled products of other alloy steel, zinc coated or plated by other methods (width < 600mm)	Kg
204	7226999001	Iron-nickel alloy strip (used for integrated circuit lead frames or display panel precision metal masks, width < 600mm)	Kg
205	7226999090	Other alloy steel plates (width < 600mm)	Kg
206	7227100000	Hot-rolled wire rods of high-speed steel (irregularly coiled)	Kg
207	7227200000	Hot-rolled wire rods of silicon-manganese steel (irregularly coiled)	Kg
208	7227901000	Irregularly coiled hot-rolled bars and rods of boron-alloyed steel	Kg
209	7227909100	Irregularly coiled hot-rolled bars and rods of other alloy steel, with a circular cross-section	Kg
210	7227909900	Irregularly coiled hot-rolled bars and rods of other alloy steel, with a cross-section other than circular	Kg
211	7228100000	Other bars and rods of high-speed steel	Kg
212	7228200000	Other bars and rods of silicon-manganese steel	Kg
213	7228301000	Hot-worked bars and rods of boron-alloyed steel (not further worked than hot-rolling, hot-drawing or hot-extrusion)	Kg
214	7228309100	Hot-worked bars and rods of other alloy steel, with a circular cross-section (not further worked than hot-rolling, hot-drawing or hot-extrusion)	Kg
215	7228309900	Hot-worked bars and rods of other alloy steel, with a cross-section other than circular (not further worked than hot-rolling, hot-drawing or hot-extrusion)	Kg
216	7228400000	Other alloy steel forged bars and rods (not further worked after forging, except forging)	Kg
217	7228500000	Other alloy steel cold-formed or cold-worked bars and rods (not further worked after cold forming or cold working)	Kg
218	7228600000	Other alloy steel bars and rods (further worked after hot or cold working)	Kg
219	7228701000	Caterpillar plate alloy steel	Kg
220	7228709000	Other alloy steel angles, shapes and sections	Kg
221	7228800000	Other alloy steel hollow drill steel (including non-alloy steel)	Kg
222	7229200000	Silico-manganese steel wire	Kg
223	7229901000	High-speed steel wire	Kg
224	7229909000	Other alloy steel wire	Kg
225	7301100000	Steel sheet piles (whether or not drilled, punched or assembled)	Kg
226	7301200000	Welded steel angles, shapes and sections	Kg
227	7302100000	Rails	Kg
228	7302300000	Points, crossings, point rods and other track sections	Kg
229	7302400000	Steel fishplates, rail pads	Kg
230	7302901000	Steel sleepers	Kg
231	7302909000	Other railway or tramway track construction materials of iron or steel	Kg
232	7303001000	Cast iron pipes with circular cross-section with an inner diameter of $\geq 500$ mm	Kg
233	7303009000	Other cast iron pipes and hollow sections	Kg
234	7304111000	Stainless steel pipes with an outer diameter of $215.9\text{mm} \leq \text{OD} \leq 406.4\text{mm}$ (seamless steel pipes for oil or gas pipelines)	Kg
235	7304112000	Stainless steel pipes with an outer diameter of $114.3\text{mm} < \text{OD} < 215.9\text{mm}$ (seamless steel pipes for oil or gas pipelines)	Kg
236	7304113000	Stainless steel pipes with an outer diameter of $\leq 114.3\text{mm}$ (seamless steel pipes for oil or gas pipelines)	Kg
237	7304119000	Other stainless steel pipes (seamless steel pipes for oil or gas pipelines)	Kg
238	7304191000	Other pipes with an outer diameter of $215.9\text{mm} \leq \text{OD} \leq 406.4\text{mm}$ (seamless steel pipes for oil or gas pipelines, excluding cast iron)	Kg
239	7304192000	Other pipes with an outer diameter of $114.3\text{mm} < \text{OD} < 215.9\text{mm}$ (seamless steel pipes for oil or gas pipelines, excluding cast iron)	Kg
240	7304193000	Other pipes with an outer diameter of $\leq 114.3\text{mm}$ (seamless steel pipes for oil or gas pipelines, excluding cast iron)	Kg
241	7304199000	Other pipes (seamless steel pipes for oil or gas pipelines, excluding cast iron)	Kg
242	7304221000	Stainless steel drilling pipes with an outer diameter of $\leq 168.3\text{mm}$ (for oil and gas exploration)	Kg
243	7304229000	Other stainless steel drilling pipes (for oil and gas exploration)	Kg
244	7304231000	Other drilling pipes with an outer diameter of $\leq 168.3\text{mm}$ (for oil and gas exploration, excluding cast iron)	Kg

245	7304239000	Other drilling pipes (for oil and gas exploration, excluding cast iron)	Kg
246	7304240000	Other stainless steel casing and tubing for oil and gas exploration	Kg
247	7304291000	Other casing and drilling pipes for oil and natural gas exploration with a yield strength of less than 552 MPa (excluding cast iron)	Kg
248	7304292000	Other casing and drilling pipes for oil and natural gas exploration with a yield strength of 552 MPa or more but less than 758 MPa (excluding cast iron)	Kg
249	7304293000	Other casing and drilling pipes for oil and natural gas exploration with a yield strength of 758 MPa or more (excluding cast iron)	Kg
250	7304311000	Cold-rolled steel seamless boiler tubes (cold-drawn or cold-rolled, including internal thread)	Kg
251	7304312000	Cold-rolled iron seamless geological drilling pipes and casings (cold-drawn or cold-rolled)	Kg
252	7304319000	Other cold-rolled iron seamless circular section pipes (cold-drawn or cold-rolled)	Kg
253	7304391000	Non-cold-drawn or cold-rolled iron seamless boiler tubes	Kg
254	7304392000	Non-cold-rolled iron seamless geological drilling pipes and casings (non-cold-drawn or cold-rolled)	Kg
255	7304399000	Other non-cold-rolled iron seamless pipes (non-cold-drawn or cold-rolled)	Kg
256	7304411000	Cold-rolled stainless steel seamless boiler tubes, cold-drawn or cold-rolled, including internal thread	Kg
257	7304419000	Cold-rolled stainless steel other seamless pipes (cold-drawn or cold-rolled)	Kg
258	7304491000	Non-cold-drawn (drawn) stainless steel seamless boiler tubes (including internal thread)	Kg
259	7304499000	Other non-cold-rolled stainless steel seamless pipes (excluding cold-drawn or cold-rolled)	Kg
260	7304511001	Alloy steel seamless steel tubes for high temperature pressure (tensile strength $\geq 620$ MPa, yield strength $\geq 440$ MPa) (outer diameter $\geq 127$ mm, chemical composition (wt%) carbon (C) content $\geq 0.07$ and $\leq 0.13$ , chromium (Cr) content $\geq 8.5$ and $\leq 9.5$ , molybdenum (Mo) content $\geq 0.3$ and $\leq 0.6$ , tungsten (W) content $\geq 1.5$ and $\leq 2.0$ , tensile strength $\geq 620$ Mpa, yield strength $\geq 440$ Mpa)	Kg
261	7304511090	Other cold-rolled alloy steel seamless boiler tubes (cold-drawn or cold-rolled, including internal thread)	Kg
262	7304512000	Other cold-rolled alloy steel seamless geological drilling pipes and casings (cold-drawn or cold-rolled)	Kg
263	7304519001	Alloy steel seamless steel tubes for high temperature pressure (tensile strength $\geq 620$ MPa, yield strength $\geq 440$ MPa) (outer diameter $\geq 127$ mm, chemical composition (wt%) carbon (C) content $\geq 0.07$ and $\leq 0.13$ , chromium (Cr) content $\geq 8.5$ and $\leq 9.5$ , molybdenum (Mo) content $\geq 0.3$ and $\leq 0.6$ , tungsten (W) content $\geq 1.5$ and $\leq 2.0$ , tensile strength $\geq 620$ Mpa, yield strength $\geq 440$ Mpa)	Kg
264	7304519090	Other cold-rolled alloy steel seamless other pipes (cold-drawn or cold-rolled)	Kg
265	7304591001	Alloy steel seamless steel tubes for high temperature pressure purposes (tensile strength $\geq 620$ MPa, yield strength $\geq 440$ MPa) (outer diameter of 127mm and above (including 127mm), chemical composition (wt%) carbon (C) content $\geq 0.07$ and $\leq 0.13$ , chromium (Cr) content $\geq 8.5$ and $\leq 9.5$ , molybdenum (Mo) content $\geq 0.3$ and $\leq 0.6$ , tungsten (W) content $\geq 1.5$ and $\leq 2.0$ , tensile strength $\geq 620$ Mpa, yield strength $\geq 440$ Mpa)	Kg
266	7304591090	Other alloy steel seamless boiler tubes not cold rolled (neither cold drawn nor cold rolled)	Kg
267	7304592000	Other alloy steel seamless geological drilling pipes and casings not cold rolled (excluding those that are cold drawn or cold rolled)	Kg
268	7304599001	Alloy steel seamless steel tubes for high temperature pressure purposes (tensile strength $\geq 620$ MPa, yield strength $\geq 440$ MPa) (outer diameter of 127mm and above (including 127mm), chemical composition (wt%) carbon (C) content $\geq 0.07$ and $\leq 0.13$ , chromium (Cr) content $\geq 8.5$ and $\leq 9.5$ , molybdenum (Mo) content $\geq 0.3$ and $\leq 0.6$ , tungsten (W) content $\geq 1.5$ and $\leq 2.0$ , tensile strength $\geq 620$ Mpa, yield strength $\geq 440$ Mpa)	Kg
269	7304599090	Other non-cold rolled alloy steel seamless circular cross-section pipes (neither cold drawn nor cold rolled)	Kg
270	7304900000	Unspecified seamless steel tubes and hollow profiles (excluding cast iron)	Kg
271	7305110000	Longitudinally submerged arc welded oil and gas large-diameter steel tubes (large-diameter steel tubes refer to those with an outer diameter exceeding 406.4mm)	Kg
272	7305120000	Other longitudinally welded oil and gas large-diameter steel tubes (large-diameter steel tubes refer to those with an outer diameter exceeding 406.4mm)	Kg
273	7305190000	Other oil and gas large-diameter steel tubes (large-diameter steel tubes refer to those with an outer diameter exceeding 406.4mm)	Kg
274	7305200000	Other large-diameter steel tubes for drilling oil and gas (large-diameter steel tubes refer to those with an outer diameter exceeding 406.4mm)	Kg

275	7305310000	Other large-diameter steel tubes longitudinally welded (large-diameter steel tubes refer to those with an outer diameter exceeding 406.4mm)	Kg
276	7305390000	Other large-diameter steel tubes welded by other methods (large-diameter steel tubes refer to those with an outer diameter exceeding 406.4mm)	Kg
277	7305900000	Unspecified large-diameter circular cross-section steel tubes (large-diameter steel tubes refer to those with an outer diameter exceeding 406.4mm)	Kg
278	7306110000	Stainless steel welded oil and gas pipeline tubes	Kg
279	7306190000	Non-stainless steel welded oil and gas pipeline tubes	Kg
280	7306210000	Stainless steel welded casings and conduits for oil and gas drilling	Kg
281	7306290000	Other casings and conduits for oil and gas drilling	Kg
282	7306301100	Other iron or non-alloy steel circular cross-section welded tubes with outer diameter $\leq 10$ mm, wall thickness $\leq 0.7$ mm (fine welded tubes refer to those with an outer diameter not exceeding 406.4mm)	Kg
283	7306301900	Other iron or non-alloy steel circular cross-section welded tubes with outer diameter $\leq 10$ mm, wall thickness $> 0.7$ mm (fine welded tubes refer to those with an outer diameter not exceeding 406.4mm)	Kg
284	7306309000	Other iron or non-alloy steel welded pipes with circular cross-section, outer diameter $> 10$ mm (fine welded pipes refer to outer diameter not exceeding 406.4mm)	Kg
285	7306400000	Stainless steel other welded pipes with circular cross-section (fine welded pipes refer to outer diameter not exceeding 406.4mm)	Kg
286	7306500000	Other alloy steel welded pipes with circular cross-section (fine welded pipes refer to outer diameter not exceeding 406.4mm)	Kg
287	7306610000	Other welded pipes with rectangular or square cross-section	Kg
288	7306690000	Other welded pipes with non-circular cross-section	Kg
289	7306900010	Multilayer pipes (the surface in direct contact with chemicals made of special corrosion-resistant materials)	Kg
290	7306900090	Unspecified other steel pipes and hollow profiles	Kg
291	7307110000	Cast iron pipe fittings, not capable of being forged	Kg
292	7307190000	Malleable cast iron and cast steel pipe fittings	Kg
293	7307210000	Stainless steel flanges	Kg
294	7307220000	Stainless steel threaded elbow pipes, bent pipes, sleeves	Kg
295	7307230000	Stainless steel welded fittings	Kg
296	7307290000	Other stainless steel pipe fittings	Kg
297	7307910000	Unspecified steel flanges (excluding stainless steel)	Kg
298	7307920000	Unspecified steel threaded elbow pipes, bent pipes, sleeves (excluding stainless steel)	Kg
299	7307930000	Unspecified steel welded fittings (excluding stainless steel)	Kg
300	7307990000	Unspecified steel other pipe fittings (excluding stainless steel)	Kg

Note: The scope of export license management is based on the name of the goods, and the customs commodity code is for reference in customs declaration.